

From: [Gary Moore](#)
To: [Arredondo, Alonzo](#)
Subject: Re: Falcon Refinery - Wastewater Treatment Standards
Date: 04/04/2012 03:47 PM
Attachments: [10073268universalstandardstable.pdf](#)

Alonzo:

That is the way I read the regs.

Waste code	Waste description and treatment/Regulatory subcategory ¹	Regulated hazardous constituent		Wastewaters	Nonwastewaters
		Common name	CAS ² number	Concentration ³ in mg/L; or Technology Code ⁴	Concentration ⁵ in mg/kg unless noted as "mg/L TCLP"; or Technology Code ⁴
D018 ⁹	Wastes that are TC for Benzene based on the TCLP in SW846 Method 1311.	Benzene	71-43-2	0.14 and meet §268.48 standards ⁸	10 and meet §268.48 standards ⁸

⁸ These wastes, when rendered nonhazardous and then subsequently managed in CWA, or CWA-equivalent systems are not subject to treatment standards. (See §268.1(c)(3) and (4)).

⁹ These wastes, when rendered nonhazardous and then subsequently injected in a Class SDWA well, are not subject to treatment standards. (See §148.1(d)).

Gary Moore
Federal On-Scene Coordinator
EPA Region 6
Cell: 214-789-1627
Work: 214-665-6609
email: moore.gary@epa.gov

▼ ["Arredondo, Alonzo" ---04/04/2012 02:12:00 PM---Gary, Here is a table I found for constituents under 268.48 that provides wastewater standard Concen](#)

From: "Arredondo, Alonzo" <AArredondo@trcsolutions.com>



9566824

To: Gary Moore/R6/USEPA/US@EPA
Date: 04/04/2012 02:12 PM
Subject: Falcon Refinery - Wastewater Treatment Standards

Gary,

Here is a table I found for constituents under 268.48 that provides wastewater standard Concentrations in mg/l.

Alonzo

This email has been scanned by the Symantec Email Security.cloud service.
For more information please visit <http://www.symanteccloud.com>



10073268universaltreatmentstandardstable.pdf